

**AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

Claims 1-16 (Canceled).

17. (Currently Amended) A reaction substrate comprising:

a base having a substantially planar smooth surface and comprising a glass plate having a thickness of about 150  $\mu\text{m}$ ,

a flexible compartment layer comprising a viscoelastic polymer composition perforated by an arrangement of holes, wherein the flexible compartment layer is adapted to removably and automatically adhere to the surface of the glass plate such that the flexible compartment layer can be separated from the glass plate substantially free of damage and without loss of form, adhesion and flexibility, and wherein the holes combine with the glass plate to provide sample reservoirs when the flexible compartment layer is adhered to the glass plate, such that the surface of the glass plate acts as a floor for each of the sample reservoirs in which a reaction is conducted, and

a cover mountable by automatic adhesion on a side of the flexible compartment layer opposite of the glass plate, wherein the cover has penetration openings for supplying samples to the sample reservoirs or for removing samples from the sample reservoirs

wherein the reaction substrate is inert under conditions of the reaction conducted in the sample reservoirs and is in a form of a microtiter plate or a nanotiter plate.

Claims 18-21 (Canceled).

22. (Previously Presented) The reaction substrate of claim 17, wherein the viscoelastic polymer composition comprises natural or synthetic rubbers free of adhesive and solvent.

23. (Previously Presented) The reaction substrate of claim 22, wherein the viscoelastic polymer composition comprises silicon rubber.

24. (Previously Presented) The reaction substrate of claim 22, wherein the viscoelastic polymer composition adheres to the base without adhesive.

Claims 25-26 (Canceled).

27. (Previously Presented) The reaction substrate of claim 17, wherein the flexible compartment layer further comprises channels and/or storage pots.

28. (Previously Presented) The reaction substrate of claim 17, wherein the flexible compartment layer further comprises fluid lines, electrodes and/or sensors.

29. (Canceled).

30. (Previously Presented) The reaction substrate of claim 17, wherein variations of positions of the sample reservoirs in a direction vertical to a plane of the reaction substrate over the entire surface of the base are less than 250  $\mu\text{m}$ .

31. (Previously Presented) The reaction substrate of claim 30, wherein the variations are less than 150  $\mu\text{m}$ .

32. (Previously Presented) The reaction substrate of claim 30, wherein the variations are less than 100  $\mu\text{m}$ .

33. (Previously Presented) The reaction substrate of claim 17, adapted for:  
identifying and characterizing synthetic or biological objects;

identifying and characterizing chemical compounds;  
identifying and/or validating targets;  
searching for biologically active substances and/or pharmaceutical substances;  
identifying conductive structures;  
genome analysis;  
proteome analysis;  
cleaning and concentrating substrates; or  
evolutive optimizing of biologically relevant macromolecules.

34. (Previously Presented) The reaction substrate of claim 17, wherein the flexible compartment layer and the glass plate are adapted such that the flexible compartment layer peels away from the glass plate without damaging the flexible compartment layer or the glass plate.

35. (Previously Presented) The reaction substrate of claim 34, wherein the flexible compartment layer and the glass plate are adapted to resist damage such that they can be reused at least 50 times.

36. (Previously Presented) The reaction substrate of claim 17, wherein the glass plate has a thickness of 150  $\mu\text{m}$ .